
# L COMPACT MOBILE CABINET



## L COMPACT MOBILE CABINET

The innovative L Compact Mobile Cabinet is 18" wide and comes in two depths (21" and 27") and five heights (24", 28", 30", 34" and 40"). It adapts perfectly to your needs and easily integrates into your workspace. Whether you want a single, double or triple unit, it comes mounted on 4" or 6" premium-quality casters, which ensures years of satisfaction from this robust and reliable work equipment.

The L compact drawer has a load capacity of 100lb. and boasts 100% extension in both cabinet depths. There is also a wide range of accessories available for it. The lock-in mechanism allows users to move the cabinet safely, while the central locking mechanism locks all drawers at the same time for secure storage of the drawer contents.

With its intelligent construction and design, the L Compact Mobile Cabinet is versatile, modular and truly ingenious. It is an excellent alternative to the R heavyduty version.



## THE ROUSSEAU DIFFERENCE



100% extension for both drawer depths, 100lb. load capacity per drawer, six drawer heights available: 3", 4", 5", 6", 8" and 12".



Wide variety of drawer accessories available: fulldepth partitions, dividers, plastic bins, hanging file holders, protective foam, etc.



Central locking on the cabinet housing.



The lock-in mechanism stops drawers from opening on their own.



Polyurethane casters for excellent maneuverability without marking floors.



# PRECONFIGURED MODELS

#### HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF L COMPACT MOBILE CABINETS

- All preconfigured models are factory assembled and ready to use The preconfigured models in this section have 4" casters, including •
- two rigid and two swivel casters with total-lock brakes
- To add a top, see page 61 •
- To order a lock on the housing, add L3 to the end of the • product number
- To add an L50 electronic lock to a door or to your L mobile cabinet, see page 58
- A lock-in mechanism stops drawers from opening on their own when moving the cabinet and when the central locking is not activated
- To order a lock-in mechanism, add B to the product number, e.g., L3BBD-2401L3 B for an 18"W×21"D×29¼"H cabinet, with three drawers, central lock and lock-in mechanism

#### IMPORTANT

Drawer compartments are included in all models. See the table for the number of compartments

To order drawers without compartments. replace the last two digits of the model number with the next even number up.



e.g., L3BBD-2401 with L3BBD-2402 without

A security mechanism B on the drawer and/or L3 on the housing

is required for all mobile applications.

5'

5'

6"

8'

\_18"×21"×33½"

4'

6"

8'

8'

L3BBG-2803\_\_\_18"×27"×331/8"

**(6**)

295

3" 4"

5'

12

6'

6'

6'

6'

6'

4 DRAWERS

L3BBD-2803\_\_

NUMBER OF COMPARTMENTS (LAYOUT CODE)		
18"W×21"D	18"W×27"D	
9 (0206)	9 (0206)	
6 (0104)	6 (0104)	
4 (0102)	4 (0102)	
	18"W×21"D 9 (0206) 6 (0104)	

# 18" WIDE (W × D × H)

Each model includes two front handles



L3BBG-2401\_\_\_18"×27"×291/8"

L3BBD-3401\_\_\_18"×21"×391/8"

\_18"×27"×391/8"

6 DRAWERS

L3BBG-3401\_

4 DRAWERS

L3BBD-3403




**3 DRAWERS** L3BBD-2403\_ L3BBG-2403




1 DOOR/1 SHELF L3BBD-3412\_\_\_18"×21"×39 1/8" L3BBG-3412\_ \_18"×27"×391/8"





5 DRAWERS L3BBD-3413\_\_\_18"×21"×391/8"





L3BBD-3415\_\_\_18"×21"×39<sup>1</sup>/<sub>8</sub>" L3BBG-3415\_ \_18"×27"×391/8"




6 DRAWERS

L3BBD-3001\_\_\_18"×21"×351/3" L3BBG-3001\_\_\_18"×27"×351/8"



4 DRAWERS L3BBD-3417\_\_\_ 18"×21"×39<sup>1</sup>/8" L3BBG-3417


18"×27"×391/8"



18"×21"×45 1/8"

\_18"×27"×45<sup>1</sup>/<sub>8</sub>"





L3BBG-4009

6 DRAWERS L3BBD-4001

L3BBG-4001\_

۷"

5"

6"

6"

12'

7 DRAWERS 18"×21"×45 1/8" L3BBD-4003 \_18"×27"×45<sup>1</sup>/<sub>8</sub>" L3BBG-4003



5 DRAWERS

L3BBD-4007

L3BBG-4007

6" 8'

7 DRAWERS 18"×21"×45 1/8" L3BBD-4009

18"×27"×45<sup>1</sup>/<sub>8</sub>"

18"×21"×45<sup>1</sup>/<sub>8</sub>"

\_18"×27"×45<sup>1</sup>/<sub>8</sub>"

L3BBG-3403\_\_\_18"×27"×391/8"

18"×21"×391/8"



3'

3" 4'

6'

6'

8'

5'

5'

8

12'



\_18"×21"×29 1/%" 18"×27"×29 1/8"

24"

## 36" WIDE ( $W \times D \times H$ )

Each model includes one side handle







 11 DRAWERS

 L3BED-2801\_\_\_
 36"×21"×33¼"

 L3BEG-2801\_\_\_
 36"×27"×33¼"

 4 DRAWERS/1 DOOR/1 SHELF

 L3BED-2823\_\_\_
 36"×21"×331/4"

 L3BEG-2823\_\_\_
 36"×27"×331/4"

Vi

U

10



 10 DRAWERS

 L3BED-3431\_\_\_\_
 36"×21"×39¼"

 L3BEG-3431\_\_\_\_
 36"×27"×39¼"



9 DRAWERS

L3BED-3433

L3BEG-3433



12 DRAWERS

L3BED-4001

L3BEG-4001

3° 3° 4° 4° 4° 4° 4° 12°

15 DRAWERS L3BED-4003\_\_\_ 36"×21"×45¼" L3BEG-4003\_\_ 36"×27"×45¼"



 4 DRAWERS/2 DOORS/2 SHELVES

 L3BED-4033\_\_\_
 36"×21"×45 ¼"

 L3BEG-4033\_\_\_
 36"×27"×45 ¼"

# 54" WIDE (W × D × H)

36"×21"×39<sup>1</sup>/<sub>8</sub>"

36"×27"×39<sup>1</sup>/<sub>8</sub>"

Each model includes one side handle



12 DRAWERS	
L3BJD-2801	54"×21"×33½"
L3BJG-2801	54"×27"×33½"



15 DRAWERS	
L3BJD-3401	54"×21"×39½"
L3BJG-3401	54"×27"×39 <sup>1</sup> / <sub>8</sub> "



 13 DRAWERS

 L3BJD-3001\_\_\_
 54"×21"×35½"

 L3BJG-3001\_\_\_
 54"×27"×35½"

36"×21"×45<sup>1</sup>/<sub>8</sub>"

36"×27"×45<sup>1</sup>/<sub>8</sub>"



 18 DRAWERS

 L3BJD-4001\_\_\_

 54"×21"×45¼"

 L3BJG-4001\_\_\_

 54"×27"×45¼"



 16 DRAWERS

 L3BJD-3403\_\_\_
 54"×21"×391%"

 L3BJG-3403\_\_\_
 54"×27"×391%"



8 DRAWERS/2 DOORS/2 SHELVES L3BJD-4003\_\_\_ 54"×21"×45 ¼" L3BJG-4003\_\_ 54"×27"×45 ¼"

## SECURITY MECHANISMS

#### ELECTRONIC LOCK SYSTEM FOR CABINET WITH DRAWERS



295


- Electronically locks all drawers in the cabinet at the same time
- No key required
- Up to 20 different users can be programmed
- 4-8 digit access codes
- Simplifies access management to drawers
- To order the complete mechanism with a cabinet with drawers, order an LB00-DDHHL50
- To order as a replacement lock, order an HA52-L50

PRODUCT NO. L50

•

L3

### L50 ELECTRONIC LOCK FOR DOORS



NOTE: Cannot be retrofitted.

#### DRAWER LOCK



294

(13)

KA-KD-MK

- Two keys provided with each lock Compatible with all drawer dimensions
- The mechanism (covered by a galvanized steel box) requires 3"W ×1"D space inside the drawer
- To order: Add L3 to the product number for the drawer or preconfigured compartment layout e.g., LF31-182106L3
- For replacement parts or to retrofit this mechanism. order an HA51-L3 PRODUCT NO.

NOTE: An LF91 security panel must be ordered to block access between two drawers and if two different user access rights are required.

### CENTRAL LOCKING MECHANISM





• Locks all drawers in the cabinet at the same time

Up to 20 different users can

To order: Add L50 to the door

product code, e.g. LB30-1812L50

Compatible with LB30 integrated doors


be programmed

- Easy to retrofit •
- The drawer layout can be changed without • touching the locking mechanism
- To order a lock, add L3 to the cabinet housing or preconfigured model number e.g., LA30-182134L3
- To order a safety hasp, add LP to the cabinet housing product number e.g., LA30-182134LP
- · For replacement parts or to retrofit this mechanism, order an LB00-DDHH\_\_ and specify the type of lock required

#### PRODUCT NO

L3	Key lock	
LP	Safety hasp	

### DOOR LOCK



Two keys provided with each lock	
Two keys provided with each lock	

- To order a key lock, add L3 to the door product number e.g., LB30-1812L3
- To order a safety hasp, add LP to the door product number e.g., LB30-1812LP
- For replacement parts or to retrofit this mechanism, order an HA49-L3 or HA49-LP

		PRODUCT	NO.
		L3	Key lock
KA-KD-MK	294	LP	Safety hasp
	1		

NOTE: An LF91 security panel must be ordered to block access between two doors and if two different user access rights are required.

### LOCK-IN MECHANISM



- Activated with the right hand by sliding the mechanism with thumb
- The drawer closes without having to • reactivate the sliding mechanism
- Stops drawers from opening on their own •
- Easy to retrofit
- To order: Add B to the product number for the drawer or preconfigured compartment layout e.g., LF31-182106B
- For replacement parts or to retrofit this mechanism, order an LY01 and a LY02

#### PRODUCT NO.

в

L3/LP

В



L3

L3/LP

L50

#### VERTICAL SECURITY BAR

- Locks all drawers in a cabinet with a key or padlock
- The key or safety hasp is located at the top of the bar to facilitate access
- Covers a bank of drawers from 20" to 36" high
- Easy to assemble
- Installs on the right-hand side ٠



To order: Specify the type of lock required, LP for a safety hasp or L3 for a standard key lock

		VERTICAL
PRODUCT NO.	CABINET HEIGHT	SECURITY BAR HEIGHT
LB10-24A	24"	20"
LB10-28A	28"	24"
LB10-30A	30"	26"
LB10-34A	34"	30"
LB10-40 A	40"	36"

#### LB10 SECURITY PANEL





- Adjustable in 1" increments c/c Must be ordered to: Block access between doors Block access when a door with lock is installed under a drawer
  - Block the space left when a door is installed above a drawer
  - Two security panel versions available for housings with or without a central locking mechanism

• Divides the cabinet up for use by more

• Galvanized steel

than one user

To order: Specify the housing depth, 21" or 27"

PRODUCT NO.	FOR LA30
LF91-1801	With L3/LP/L50 on the housing
LF91-1802	Without L3/LP/L50 on the housing

## DRAWER AND HANDLE ACCESSORIES

#### HANDLE PROTECTOR

- Clips onto the drawer handle
- Made of transparent plastic
- Protects identification labels from dust, grease and dirt
- Easy to remove

PRODUCT NO. LF70-18

#### LF70 HANDLE LABELS



#### LF71

LG42

LG41

- Labels to be attached to handles under the • handle protector (LF70)
- 30 labels per page (10 pages) ٠
- Print your own labels. A template is • available on www.rousseau.com under Information Center > Documents

PRODUCT NO. LF71-425075

#### HANGING FILE BARS



- For storing hanging files
- · Fits both letter and legal sizes
- For 12"H drawers
- PRODUCT NO. LG31-18

LG31 TOOL FOAM

LG40



- Oil resistant and non-absorbent
- Includes one piece of ¼"-thick blue foam •
- Includes one piece of 1/2"-thick black foam
- Sold without cut-outs. Can be cut with a utility knife

PRODUCT NO.	FOR DRAWER
LG42-1821-01	18"W×21"D
LG42-1827-01	18"W×27"D

#### **PVC DRAWER LINER**



- Protects stored objects
- Non-skid surface
- Can be installed under partitions and dividers
- Thickness: 3/32"

1

PRODUCT NO.	FOR DRAWER
LG40-1821-01	18"W×21"D
LG40-1827-01	18"W×27"D

#### PROTECTIVE FOAM

 Protects items stored in the drawer Includes and piece of 1/" thick blue fear

A COLORINA	<ul> <li>Includes one pl</li> </ul>	Includes one piece of <sup>1</sup> /4"-thick blue foam		
	PRODUCT NO.	FOR DRAWER		
	LG41-1821-01	18"W×21"D		
	LG41-1827-01	18"W×27"D		

Partitions and dividers cannot be installed in the same drawer as this foam. NOTE:

COMPACT MOBILE CABINE

### FRONT TO BACK PARTITION

- Divides the drawer along its depth
- Clip system locks dividers in place
- Galvanized steel
- Compatible with RG10 dividers, which can be used to make smaller compartments between each partition
- Compatible with plastic bins and PVC drawer liners

NOMINAL DRAWER	NOMINAL DRAWER DEPTH (ACTUAL)		
HEIGHT (ACTUAL)	21" (18")	27" (24")	
3" (1%"H)	LG02-2103	LG02-2703	
4" (25⁄8"H)	LG02-2104	LG02-2704	
5" (35⁄8"H)	LG02-2105	LG02-2705	
6" (45⁄8"H)	LG02-2106	LG02-2706	
8" (6⁵⁄₅"H)	LG02-2108	LG02-2708	
12" (8⁵⁄₅"H)	LG02-2110	LG02-2710	

### PLASTIC BIN

LG02



	-					
DIMENSIONS				PRODUCT NO.		
W	D	н	BIN	PARTITION	DIVIDER	
3"	3"	2"	RG20-030302	-	-	
4"	3"	2"	RG20-040302	-	-	
6"	3"	2"	RG20-060302	RG22-0302	-	
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602	
3"	3"	3"	RG20-030303	-	-	
4"	3"	3"	RG20-040303	-	-	
6"	3"	3"	RG20-060303	RG22-0303	-	
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603	

small parts

• Lightweight and durable

• For 3"H and 4"H drawers

NOTE: 2"H bins = 1<sup>1</sup>/<sub>2</sub>" actual height

3"H bins = 2½" actual height

### DRAWER DIVIDER

- Dividers clip in place
- 45° angled edge for easy identification of compartment contents
- Adjustable in 3" increments (c/c)

			NOMINAL DRAWER	R HEIGHT (ACTUAL)		
NOMINAL	3"	4"	5"	6"	8"	12"
DIVIDER WIDTH	(1⁵⁄₅"H)	(2⁵⁄₃"H)	(3⁵⁄₃"H)	(45∕8"H)	(6%"H)	(8%"H)
3"	RG10-03003	RG10-03004	RG10-03005	RG10-03006	RG10-03008	RG10-03010
5"	RG10-05003	RG10-05004	RG10-05005	RG10-05006	RG10-05008	RG10-05010
6"	RG10-06003	RG10-06004	RG10-06005	RG10-06006	RG10-06008	RG10-06010
71/2"	RG10-07503	RG10-07504	RG10-07505	RG10-07506	RG10-07508	RG10-07510
9"	RG10-09003	RG10-09004	RG10-09005	RG10-09006	RG10-09008	RG10-09010
10"	RG10-10003	RG10-10004	RG10-10005	RG10-10006	RG10-10008	RG10-10010
12"	RG10-12003	RG10-12004	RG10-12005	RG10-12006	RG10-12008	RG10-12010
15"	RG10-15003	RG10-15004	RG10-15005	RG10-15006	RG10-15008	RG10-15010



**RG10** 



• For easier storing, moving and managing of

• 45° angled rim for easy identification of bin contents and removal of bins

• Compatible with partitions and dividers

• 6" plastic bins can be subdivided

## **CABINET TOPS**

#### **RESISTANT ACRYLIC/PVC PLASTIC LAMINATED TOP WS08**



- Ideal for assembly stations or for applications using solvents, oils or other chemical products
- Color: gray
- Premium-guality laminated top
- Excellent chemical resistance (can be in prolonged contact with a substance)
- Superior abrasion resistance compared with standard laminated tops
- Superior impact resistance compared with standard laminated tops
- Attractive appearance
- Thickness: 1½"

#### STEEL TOP WITH RUBBER MAT

- Non-slip rubber surface
  - Includes edges on the sides and back
- Height: 1"

#### STAINLESS STEEL TOP

PAINTED STEEL TOP

- Acts as a work surface and protects the cabinet from impacts Particle board top with stainless steel
- cover (#4 brushed finish)
- Excellent corrosion and chemical resistance
- Top complies with CARB regulations on formaldehyde emissions
- Includes welded corners for an attractive appearance

#### RC37

- LAMINATED HARDWOOD TOP
  - Top for general industrial applications
  - Made from varnished hardwood slats
  - Includes a 90° radius front edge for • extra comfort

Top for general use. Ideal for assembly stations, quality control and packaging

Includes a 90° radius front edge for

- High impact resistance
- Attractive appearance
- Thickness: 1<sup>3</sup>/<sub>4</sub>"

Color: white

Easy to clean

extra comfort

Attractive appearance

### PLASTIC LAMINATED TOP



WS16

Attractive appearance Easy to clean

- Top for electronics tasks. Ideal for electronics inspection or assembly stations
- - Includes a 90° radius front edge for extra comfort
  - Dissipates electrical charges that can damage electronic components
  - The resistance point to point and point to ground is between 10° and  $10^{9}\Omega$
  - Thickness: 1<sup>1</sup>/<sub>2</sub>"

NOTE: Grounding accessories are sold separately, see page 183.

DIMEN	ISIONS				CABINET TOPS			
w	D	ACRYLIC/PVC PLASTIC LAMINATED*	LAMINATED HARDWOOD*	PLASTIC LAMINATED*	DISSIPATIVE*	STEEL TOP WITH RUBBER MAT	STAINLESS STEEL	PAINTED STEEL
18"	21"		WS14-1821A	WS16-1821A		RC32-1821-01	RC35-1821	RC37-1821
	27"		WS14-1827A	WS16-1827A		RC32-1827-01	RC35-1827	RC37-1827
36"	21"	WS08-3621A	WS14-3621A	WS16-3621A	WS17-3621A	RC32-3621-01	RC35-3621	RC37-3621
30" .	27"	WS08-3627A	WS14-3627A	WS16-3627A	WS17-3627A	RC32-3627-01	RC35-3627	RC37-3627
54"	21"	WS08-5421A	WS14-5421A	WS16-5421A	WS17-5421A	RC32-5421-01	RC35-5421	RC37-5421
	27"	WS08-5427A	WS14-5427A	WS16-5427A	WS17-5427A	RC32-5427-01	RC35-5427	RC37-5427

NOTE: \* Please check with your Customer Service representative for lead times.

- - Thickness: 1<sup>3</sup>/<sub>4</sub>"

- Acts as a work surface and protects the cabinet from impacts
- Particle board top with painted steel cover
- Top complies with CARB regulations on formaldehyde emissions
- Includes welded corners for an attractive appearance
- Thickness: 1<sup>3</sup>/<sub>4</sub>"

Color: white

#### End-Users: 1.866.463.4270 Distributors: 1.800.463.4271 61





RC32







WS17

WS14

# TOP ACCESSORIES

### FOLDAWAY SHELF

#### LDAWAT SHELF

- Load capacity: 50lb. (evenly distributed)
- Includes a protective rubber surface



Compatible with optional RC01 side as back stops for foldaway shelf			
PRODUCT NO.	W×D		

RC00-152101	15"×21"
RC00-152701	15"×27"

### RC00 SIDE AND BACK STOPS FOR FOLDAWAY SHELF RC01

- Use the 15" stop for front or back of shelf
- Use the 21" or 27" stop for the sides
- Height: 1"

rieigner 1		
PRODUCT NO.	WIDTH	
RC01-15	15"	
RC01-21	21"	
RC01-27	27"	



# HOUSING AND DOORS

### L COMPACT CABINET HOUSING

20' 6 27' 19"





LA30

Create a customized workspace with a

Drawers, shelves and doors can be

The housing units include knockouts:

On the top: for stacking an LD75 Housing for Drawer Unit

On the sides: for assembling cabinets

for a single mobile cabinet or an LB96 Base

all drawers at the same time, add L3 to the

• Requires an LB93 Cart for Single Cabinet

for Casters for a double or triple cabinet

• To order a lock on the housing that locks

To order a safety hasp, add LP to the

For factory installation of an electronic

W×D×H

18"×21"×24"

18"×21"×28"

18"×21"×30"

18"×21"×34"

18"×21"×40"

18"×27"×24"

18"×27"×28"

18"×27"×30"

18"×27"×34"

18"×27"×40"

LF31

lock, order an LB00-DDHHL50

wide range of possibilities

installed in the housing

side to side

product number

product number

PRODUCT NO.

LA30-182124

LA30-182128

LA30-182130

LA30-182134

LA30-182140\_

LA30-182724

LA30-182728

LA30-182730

LA30-182734

LA30-182740\_

### INTEGRATED DOOR

•

•

٠

٠

.





LSU to the product h	LSU to the product humber				
PRODUCT NO.	W×H				
LB30-1812	18"×12"				
LB30-1818	18"×18"				
LB30-1820	18"×20"				
LB30-1824	18"×24"				
LB30-1826	18"×26"				
LB30-1830	18"×30"				
LB30-1836	18"×36"				

• Seven standard heights available

Black plastic recessed handle

right upon request

product number

product number

The doors are factory installed with hinges

on the left. They can be installed on the

• An LB24 Adjustable Shelf must be ordered

To order a safety hasp, add  $\underline{LP}$  to the door

To order an electronic lock for doors, add

as a storage surface for doors installed above a drawer or another door


To order a key lock, add L3 to the

### L COMPACT DRAWER



mechanism B on the drawer and/or L3 on the housing is required for all mobile applications.





- Vast choice of accessories available to customize the drawer to your storage needs
- Precision ball bearing drawer slides included
- Easy hook-on assembly
- For preconfigured drawer compartment layouts, <u>see pages 29-30</u>
- Drawer heights available: 3", 4", 5", 6", 8" and 12"
- To order: Add the drawer height required to the product number, e.g., LF31-182106


To order a drawer lock, add L3 to the drawer product number. The mechanism (covered by a galvanized steel box) requires 3"W × 1"D space inside the drawer e.g., LF31-182704L3

• To order a drawer lock-in mechanism, add "B" to the drawer product number, e.g., LF31-182103<u>B</u>

PRODUCT NO.	W×D	INSIDE DIM.
LF31-1821	18"×21"	15"×18"
LF31-1827	18"×27"	15"×24"

### ADJUSTABLE SHELF





- Includes side and back edges
- Height can be adjusted in 1" increments c/c
- Up to 100lb. load capacity, evenly distributed
- Two adjustable shelf versions available for housings with or without a central locking mechanism
- Galvanized steel
- To order: Specify the housing depth, 21"or 27"

#### PRODUCT NO. FOR LA30

LB24-18_01	With L3/LP on the housing
LB24-1802	Without L3/LP on the housing

End-Users: 1.866.463.4270 Distributors: 1.800.463.4271 63



LB24

# COMPONENTS



## MOBILITY

#### CASTERS





RB8E-02

- Sold in pairs
- Three types of casters available: rigid, swivel and swivel with total-lock brake (on wheel and swivel)
- Dark gray, non-marking polyurethane tread
- Superior industrial quality

			HEIGHT	
PRODUCT NO.	CASTER TYPE	CAPACITY	WHEEL	TOTAL
LB81-01	Rigid	440 lb	4"	5 <sup>1</sup> /8"
LB81-02	Swivel	440 lb	4"	5 <sup>1</sup> /8"
LB81-03	Swivel with total-lock brake	440 lb	4"	5 <sup>1</sup> /8"
LB84-01	Rigid	1100 lb	6"	71⁄2"
LB84-02	Swivel	1100 lb	6"	71/2"
LB84-03	Swivel with total-lock brake	1100 lb	6"	71/2"
RB8E-02	Swivel caster directional	locking kit for	swivel casters	(×2)

NOTE: LB93 Cart for Single Cabinet or LB96 Base for Casters is required for use with an L compact cabinet, see page 65.

#### QUIET CASTERS



- Sold in pairs
- Smooth and quieter rolling
- Two types of casters available: rigid and swivel with total-lock brake (on wheel and swivel)
- Blue, hard-wearing polyurethane tread for quiet and easy maneuvering
- Superior industrial quality

			HEIGHT	
PRODUCT NO.	CASTER TYPE	CAPACITY	WHEEL	TOTAL
LB8C-01	Quiet, rigid	660 lb	4"	5 <sup>1</sup> /8"
LB8C-03	Quiet, swivel with total-lock brake	660 lb	4"	5 <sup>1</sup> /8"
LB8D-01	Quiet, rigid	1100 lb	6"	71/2"
LB8D-03	Quiet, swivel with total-lock brake	1100 lb	6"	71⁄2"

NOTE: LB93 Cart for Single Cabinet or LB96 Base for Casters is required for use with an L compact cabinet, <u>see page 65</u>.

#### LB81/LB84/RB8E

LB8C/LB8D

# **COMPONENTS**

#### CART FOR SINGLE CABINET

- Required for installing casters under a single cabinet
- Installs under cabinets without a base Compatible with 4" and 6" casters
- (sold separately) PRODUCT NO. W×D LB93-1821 18"×21'

LB93-1827 18"×27"

#### **BASE FOR CASTERS**



#### LB96

**RB92** 

- Required for installing casters under double or triple cabinets
- A base includes two brackets • (one front and one rear). Order two bases for a double cabinet and three bases for a triple cabinet
- Installs under cabinets without a base
- Compatible with 4" and 6" casters (sold separately) PRODUCT NO.

LB96-18

•



**RB90** 

LB93

#### SIDE HANDLE



- Installs on the side of double or triple cabinets. Specify which side when ordering (left or right)
- Anodized aluminum with heavy-duty plastic end caps
- Wide-grip handle for easier cabinet handling

#### PRODUCT NO. ACTUAL DEPTH FOR CABINET RB90-21 18" 21"D RB90-27 24" 27"D

#### **FRONT HANDLES**

- Sold in pairs
- Installs on the front of 18"W single cabinets
- Black resistant plastic •

PRODUCT NO. RB92-01

NOTE: Not compatible with the L50 electronic lock system.

